



The license associated with the Belarc Advisor product allows for **free personal use only**. Use on computers in a corporate, educational, military or government installation is prohibited. See the [license agreement](#) for details. The information on this page was created locally on your computer by the Belarc Advisor. Your computer profile was not sent to a web server. [Click here for more info.](#)

About Belarc

System Management Products

new Security Advisor for Android

Your Privacy

System Security Status

Security Benchmark Score

Available only for Windows 7, Vista, and XP Pro

Virus Protection



Up-to-date

Security Updates



Up-to-date

Computer Profile Summary

Computer Name: QosmioGR (in PUYGOUNET)

Profile Date: vendredi 18 octobre 2013 22:22:06

Advisor Version: 8.3b

Windows Logon: Gilles

In page Links:

Software Licenses

Software Versions & Usage

new Missing Updates

USB Storage Use

Hosted Virtual Machines

Network Map

Installed Hotfixes

Operating System

Windows 8 Professional (build 9200)
Install Language: Français (France)
System Locale: Français (France)
Installed: 18/10/2013 18:59:53

Processor ^a

2,40 gigahertz Intel Core2 Duo
64 kilobyte primary memory cache
4096 kilobyte secondary memory cache
64-bit ready
Multi-core (2 total)
Not hyper-threaded

Drives

398,52 Gigabytes Usable Hard Drive Capacity
102,22 Gigabytes Hard Drive Free Space
TOSHIBA DVD/HDW SD-L902A ATA Device [Optical drive]
Canon MP640 series USB Device [Hard drive] -- drive 3
Generic SD08G SD Card [Hard drive] (8,04 GB) -- drive 2, s/n 6d35f98c
TOSHIBA MK2035GSS [Hard drive] (200,05 GB) -- drive 1, s/n 97UVTCUGT, rev DK020M, [SMART](#) Status: Healthy
TOSHIBA MK2035GSS [Hard drive] (200,05 GB) -- drive 0, s/n 97UVTCUHT, rev DK020M, [SMART](#) Status: Healthy

System Model

TOSHIBA Qosmio G40 PQG40E-01G019FR
System Serial Number: Y7045740H
Chassis Serial Number: Version 1.0
Enclosure Type: Notebook

Main Circuit Board ^b

Board: TOSHIBA Portable PC Version A0
Serial Number: \$SC07Y12J7
Bus Clock: 200 megahertz
BIOS: TOSHIBA Version 2.20 02/29/2008

Memory Modules ^{c,d}

2048 Megabytes Usable Installed Memory
Slot 'DIMM 0' has 1024 MB (serial number 8709FD6F)
Slot 'DIMM 1' has 1024 MB (serial number 8709FD79)

Local Drive Volumes

Volume	NTFS on drive	Free Space	Total Space
c:	100,02 GB	39,04 GB	139,06 GB
d:	200,05 GB	25,92 GB	225,97 GB
f:	98,45 GB	37,26 GB	135,71 GB

* Operating System is installed on c:

Network Drives

None discovered

Printers

on USB001

Users (mouse over user name for details)

local user accounts last logon

Gilles 18/10/2013 18:59:59(admin)

local system accounts

✗ Administrateur 19/05/2012 09:35:03(admin)
 HomeGroupUser\$never
 ✗ Invité never

Window Manager domain logons

DWM-1 18/10/2013 14:19:23

✗ Marks a disabled account;  Marks a locked account

Controllers

ATA Channel 0 [Controller]
 Contrôleur AHCI SATA standard [Controller]
 Contrôleurs de stockage Ultra ATA Intel(R)
 ICH8M - 2850 [Controller]

Bus Adapters

Contrôleur Texas Instruments PCI-
 8x12/7x12/6x12 CardBus
 Contrôleur de classe de stockage numérique
 sécurisé (SD)
 Contrôleur des espaces de stockage Microsoft
 Contrôleur hôte universel Intel(R) gamme ICH8
 USB - 2830
 Contrôleur hôte universel Intel(R) gamme ICH8
 USB - 2831
 Contrôleur hôte universel Intel(R) gamme ICH8
 USB - 2832
 Contrôleur hôte universel Intel(R) gamme ICH8
 USB - 2834
 Contrôleur hôte universel Intel(R) gamme ICH8
 USB - 2835
 Contrôleur hôte universel Intel(R) gamme ICH8
 USB - 2836
 Contrôleur hôte universel Intel(R) gamme ICH8
 USB - 283A

Virus Protection [\[Back to Top\]](#)

Windows Defender Version 4.3.9600.16384
 Scan Engine Version 1.1.10003.0
 Virus Definitions Version 18/10/2013 Rev
 1.161.187.0
 Realtime File Scanning On

Communications

TOSHIBA Software Modem

Carte Microsoft ISATAP
 Carte réseau de débogage du noyau Microsoft
 ↓ Intel(R) 82566MC Gigabit Network
 Connection

Status: Cable unplugged
 Dhcp Server: none responded
 Physical Address: 00:1C:7E:2A:DB:1D

↑ Liaison WiFi sans fil Intel(R) 4965AGN
 primary Auto IP Address: 192.168.0.40 / 24
 Gateway: 192.168.0.254
 Dhcp Server: 192.168.0.254
 Physical Address: 00:13:E8:DE:3F:8F
 Connection 144 Mbps
 Speed:

Canon MP640
 series Printer
 Microsoft
 Shared Fax on SHRFAQ:
 Driver
 Microsoft
 XPS on PORTPROMPT:
 Document
 Writer v4
 PDF Architect on C:\Program Files\PDF
 Driver Architect\print\curprint.pdp
 PDFCreator on pdfcmon

Display

NVIDIA GeForce 8600M GT [Display
 adapter]
 Toshiba Internal LCD [Monitor] (17,2"vis,
 avril 2006)

Multimedia

Périphérique High Definition Audio (2x)
 TOSHIBA PCI DVB-T/Analog Hybrid TV
 Tuner(x86)

Group Policies

None discovered

Other Devices

Contrôleur d'hôte compatible OHCI 1394
 Texas Instruments
 Audio numérique (HDMI) (Périphérique
 High Definition Audio)
 Audio numérique (SPDIF) (2- Périphérique
 High Definition Audio)
 Haut-parleurs (2- Périphérique High
 Definition Audio)
 Microphone (2- Périphérique High Definition
 Audio)
 Adaptateur secteur Microsoft
 Batterie à méthode de contrôle compatible
 ACPI Microsoft
 TouchChip Fingerprint Coprocessor (WBF
 advanced mode)
 TOSHIBA Bluetooth Adapter

↓ Périphérique Bluetooth (réseau personnel)
 Status: Cable unplugged
 Dhcp Server: *none responded*
 Physical Address: 00:03:7A:B0:67:B9
 Connection 3 Mbps 
 Speed:

Périphérique Bluetooth (TDI protocole RFCOMM)

Teredo Tunneling Pseudo-Interface

Networking Dns Server: 192.168.0.254

Énumérateur Microsoft Bluetooth
 HID-contrôles radio compatible sans fil
 Périphérique de contrôle consommateur conforme aux Périphériques d'interface utilisateur (HID) (2x)
 Périphérique d'entrée USB
 Toshiba Hotkey Driver
 Canon MP640 ser
 USB 2.0 Camera
 Clavier standard PS/2 [Keyboard]
 Souris compatible PS/2 [Mouse]
 Souris HID [Mouse]
 Texas Instruments PCIxx12 Integrated FlashMedia Controller
 Canon MP640 series Printer
 Fax
 File d'attente d'impression racine
 Microsoft XPS Document Writer
 PDF Architect
 PDFCreator
 Contrôleur hôte numérique sécurisé compatible SDA
 Bus de carte de transition IPv4 IPv6
 Microsoft
 Microsoft Device Association Root Enumerator
 Concentrateur USB racine (7x)
 Dispositif de stockage de masse USB
 Prise en charge d'impression USB
 Périphérique USB composite (2x)
 Cliché instantané de volume générique
 E:\
 K:\

USB Storage Use in past 30 Days (mouse over last used for details)

	Last Used
Canon MP640 series, rev 0103	18/10/2013 14:10:22*

* Possibly used again before the reboot following this time.

Hosted Virtual Machines (mouse over name for details)

None discovered

[See your entire network map...](#)
[click for Belarc's System Management products](#)

Network Map (mouse over IP address for physical address) [\[Back to Top\]](#) 

IP	Device Type	Device Details	Device Roles
192.168.0.18	Network Device	D-Link	Web Server
192.168.0.33		Physical Address 50:CC:F8:97:98:BF	
192.168.0.40	Windows Workstation	Qosmiogr (in PUYGOUNET)	Samba Server
192.168.0.254	Linux System	Freebox (in PUYGOUNET)	DHCP Server, Gateway, Domain Name Server, Web Server , Samba Server, Print Server, Browse Master

[Find your security vulnerabilities...](#)
[click for Belarc's System Management products](#)

Missing Security Updates new – for Adobe, Apple, Java, Microsoft and more [\[Back to Top\]](#)

Hotfixes from Windows Update (agent version 7.9.9600.16384) install automatically.
Last install: 18/10/2013 19:45:05, download: 18/10/2013 19:57:01, check: 18/10/2013 19:46:09.

All required security updates have been installed (using Advisor definitions version 2013.10.16.4) according to the 10/08/2013 Microsoft Security Bulletin Summary and bulletins from other vendors.

[Manage all your software licenses...](#)
[click for Belarc's System Management products](#)

Software Licenses [\[Back to Top\]](#)

Belarc - Advisor	66bf869d
Microsoft - Internet Explorer	00260-00000-00001-AA190 (Key: XHQ8N-C3MCJ-RQXB6-WCHYG-C9WKB)
Microsoft - PowerShell	89383-100-0001260-04309
Microsoft - Windows 8 Professional	00178-11204-62657-AB598 (Key: JRFFB-8DKBR-N96P8-WTFH9-FRDG7)

[Find unused software and reduce licensing costs...](#)
[click for Belarc's System Management products](#)

Software Versions & Usage (mouse over for details, click for location) [\[Back to Top\]](#)

 Adobe Systems - Shockwave Flash Version 11,9,900,117	  Microsoft - Windows Installer - Unicode Version 5.0.9600.16384
  Belarc - Advisor Version 8.3b	 Microsoft - Windows Script Host Version 5.8.9600.16384
 Dominik Reichl - KeePass Version 2.23.0.0	  Microsoft - Windows Search Version 7.00.9600.16384
 Informer Technologies - Software Informer Version 1.2	  NVIDIA - Driver Helper Service, Version 327.02 Version 8.17.13.2702
  LiberKey - Menu Version 5.07.0018	  pdfforge - ConversionService Version 1.1.83.9982
 Microsoft - .NET Framework Version 3.0.6920.7903	  pdfforge - Helper Service Version 1.1.83.9982
 Microsoft - .NET Framework Version 4.0.31106.0	 pdfforge - Images2PDF.GUI Version 0.9.5.810
  Microsoft - Antimalware Service Executable Version 4.3.9600.16384	 pdfforge - PDF Architect Version 1.1.83.9982
 Microsoft - IME 2012 Version 15.0.9600.16384	  pdfforge - PDFCreator Version 1.07.0001
  Microsoft - Internet Explorer Version 11.00.9600.16384	 pdfforge - TransTool Version 3.02
 Microsoft - Lecteur Windows Media Version 12.0.9600.16384	

-  Mouse over to see details, click to see where software is installed.
-  Marks software last used within the past 7 days.
-  Marks software last used within the past 90 days, but over 7 days ago.
-  Marks software last used within the past year, but over 90 days ago.
-  Marks software last used over 1 year ago.
- Unmarked software lacks the data to determine last use.

[Audit your security posture...](#)
[click for Belarc's System Management products](#)

Installed Microsoft Hotfixes [\[Back to Top\]](#)

[Click here to see all installed hotfixes.](#)

- a. Processor clock speed is measured at computer start-up, and on laptops may be impacted by power option settings.
- b. Data may be transferred on the bus at one, two, or four times the Bus Clock rate.
- c. Memory slot contents may not add up to Installed Memory if some memory is not recognized by Windows.
- d. Memory slot contents is reported by the motherboard BIOS. Contact system vendor if slot contents are wrong.
- e. This is the manufacturer's factory installed product key rather than yours. You can change it to your product key here <http://go.microsoft.com/fwlink/?LinkId=45668> for Windows, or here <http://support.microsoft.com/?kbid=895456> for Office.

Copyright 2000-13, Belarc, Inc. All rights reserved.

[Legal notice](#). U.S. Patents 5665951, 6085229 and Patents pending.
